

Deltran



RELIABLE & TRUSTED PRODUCTS FOR YOUR AUTOMOTIVE, POWER SPORTS AND MARINE NEEDS

Since 1965, Deltran has taken great pride in designing, manufacturing, and distributing technologically advanced products that meet the ever-changing needs of our worldwide customers. Our strategic initiatives have continued to focus on innovation and customer satisfaction.

Here at Deltran, performance isn't just a business, it's a way of life. Long after the final sale, our commitment to service lives on. We are constantly striving to improve every element of our business; from the products themselves to marketing and distribution. As the world advances, we remain state-of-the-art with innovative designs and technologies.

Battery Tender® assures the highest quality battery charging convenience and performance. That's why we are the top choice of collectors, dealers, and fleet owners. Your vehicles are ready to go when you are. You just set it and forget it, saving you hundreds of dollars in replacement batteries.

This year we are also proud to announce our new innovation-based vehicle accessory brand Hyperion®. Hyperion® offers the same quality you have come to expect from the Deltran family with a range of products that keeps you safe when on the road.

TABLE OF CONTENTS

NEW PRODUCTS	04	SOLAR PANELS	30
POWERSPORTS	06	INVERTERS	34
AUTOMOTIVE	10	ACCESSORIES	38
RIDE-ON TOY CHARGER	14	HYPERION	42
INDUSTRIAL	16	VEHICLE COVERS	44
BATTERIES	24	TIRE SAFETY	52
JUMP STARTERS	26	SMART DRIVE	56

NEW PRODUCTS



10 AMP RAPID BATTERY CHARGER & MAINTAINER

10 AMP / 6 AMP / 2 AMP SELECTABLE

VEHICLE JUMP STARTER & PORTABLE POWER BANK



1000 AMP | 8000mAh

WITH RAPID WIRELESS MOBILE CHARGING

BATTERY CHARGERS

PERFECT FOR LEAD, AGM, OR GEL

POWERSPORTS



BATTERY CHARGERS



BATTERY TENDER® JUNIOR

- 12V @ 750mA (PN 021-0123)
- 6V @ 1.25 AMP (PN 022-0196)
- 8V @ 1.25 AMP (PN 022-0197)
- Plugs Directly Into The Wall
- Lightweight & Compact
- Reverse Polarity Protection

5/YEAR WARRANTY



BATTERY TENDER® JUNIOR 800 SELECTABLE

- (PN 022-0199-DL-WH)
- 12V @ 800mA
- Plugs Directly Into The Wall
- Selectable For AGM, Flooded, GEL, Or Lithium (LiFePO4) Batteries
- Reverse Polarity Protection

5/YEAR WARRANTY

WEATHER RESISTANT



BATTERY TENDER® 800

- (PN 022-0150-DL-WH)
- 12V @ 800mA
- Perfect for all lead-acid, flooded or sealed maintenance free batteries (AGM and gel cell)
- Enclosure Is IP67 Rated
- Reverse Polarity Protection

3/YEAR WARRANTY

* All chargers automatically switch from full charge to float charge mode.

12V ONLY



BATTERY TENDER® PLUS HIGH EFFICIENCY

(PN 022-0185G-DL-WH)

12V @ 1.25 AMP

- Input: 120VAC @ 60 Hz
- Complete 4-Step Charging Program (Initialization, Bulk Charge, Absorption Mode, Float Mode)
- Reverse Polarity Protection

5
YEAR
WARRANTY

SELECTABLE 12V OR 6V



BATTERY TENDER® 1.25 AMP SELECTABLE

(PN 022-0211-DL-WH)

- 12V Or 6V Switchable @ 1.25 AMP

- Input: 120VAC
- Complete 4-Step Charging Program (Initialization, Bulk Charge, Absorption Mode, Float Mode)
- Reverse Polarity Protection

5
YEAR
WARRANTY

DELTRAN'S LEGACY CHARGER



BATTERY TENDER® PLUS

(PN 021-0128)


12V @ 1.25 AMP

- Input: 120 VAC @ 60Hz
- Complete 4-Step Charging Program (Initialization, Bulk Charge, Absorption Mode, Float Mode)
- Reverse Polarity Protection

10
YEAR
WARRANTY

* All chargers automatically switch from full charge to float charge mode.

SUPERSMART BATTERY CHARGERS®



BATTERY TENDER® PLUS CHARGER AND MAINTAINER

FULLY AUTOMATIC AND SELECTABLE



AUTOMOTIVE



BATTERY CHARGERS



4 AMP BATTERY CHARGER & MAINTAINER

- (PN 022-0209-DL-WH)
- 12V Or 6V Switchable @ 4 AMP
 - AGM/Standard Or GEL/Lithium 12V Only Switchable
 - 4-Step Charge Process (Qualification, Bulk Charge, Absorption, Float)
 - Reverse Polarity Protection
 - State Of Charge LED Indicators

5 YEAR WARRANTY



5 AMP BATTERY CHARGER & MAINTAINER

- (PN 022-0186G-DL-WH)
- 12V @ 5 AMP
 - 4-Step Fully Automatic Charging
 - Safety Timer: 72 hrs
 - Reverse Polarity Protection
 - Weight: 3.0 lbs
 - Dimensions: 3.99W x 8.26L x 2.34H

5 YEAR WARRANTY



10 AMP RAPID BATTERY CHARGER & MAINTAINER

- (PN 022-0229-DL-WH)
- Input: 120V - 50/60Hz
 - 12 ft. Power Cord & Alligator Clip Cord
 - Reverse Polarity Protection



Download the Deltran Connected App and receive alerts directly to your phone.

3 YEAR WARRANTY

* All chargers automatically switch from full charge to float charge mode.

THE SLIM LINE CONNECT IT AND FORGET IT



AUTOMOTIVE



BATTERY CHARGERS



3.5 AMP 6V/12V BATTERY CHARGER AND MAINTAINER

- (PN 022-0209-DL-WH)
- Input: 120VAC @ 60Hz
- Output: 3.5 A @ 6V / 12V
- Size: 3.15" X 0.98" X 5.12" (Charger only)
- Weight: 0.8lb (Charger only)
- Spark proof protection
- Reverse hook-up protection

2
YEAR
WARRANTY



7AMP SELECTABLE BATTERY CHARGER AND MAINTAINER

- (PN 022-0209-DL-WH)
- 12' Input/output power cord
- Input: 115VAC @ 60Hz
- Output: 12 Vdc @ 7 A
- Working temperature: 14 to 122 (degree sign HELP ZACH)F
- 4.13" X 1.38" x 6.61" (Charger only)
- Weight: 2.1lbs (Charger only)

2
YEAR
WARRANTY

* All chargers automatically switch from full charge to float charge mode.

THE SLIM LINE
COMPACT. SMART. POWERFUL.



RIDE-ON TOY CHARGER



BATTERY CHARGERS

3.5 AMP 6V/12V RIDE-ON TOY BATTERY CHARGER AND MAINTAINER

(PN 022-0209-DL-WH)

- Input: 120VAC @ 60Hz
- Output: 3.5 A @ 6V / 12V
- Included: 3 Toy car connectors
- Size: 3.15" X 0.98" X 5.12" (Charger only)
- Weight: 0.8lb (Charger only)
- Spark proof protection
- Reverse hook-up protection

2 YEAR WARRANTY



* All chargers automatically switch from full charge to float charge mode.

DESIGNED FOR HARSH ENVIRONMENTS

INDUSTRIAL



BATTERY CHARGERS



Water Resistant 5 AMP Will Be Replaced With
5 AMP Ultra Tough Battery Charger & Maintainer



AVAILABLE FALL 2019

WATER RESISTANT PLUS 12V, 5.0 AMP

- (PN 022-0157) 12V @ 5.0 AMP
- (PN 022-0158) 24V @ 2.5 AMP
- Weatherproof
- Integrated Mounting Capabilities
- Lightweight - Less Than 4 lbs.
- Shock & Vibration Resistant

2
YEAR
WARRANTY

5 AMP ULTRA TOUGH BATTERY CHARGER & MAINTAINER

- (PN 022-0258) 5A Charger
- 12V / 5 AMP & 24V / 2.5 AMP
- Weather Resistant IP67 Rating
- Selectable For AGM, Flooded, GEL, Or Lithium (LiFePO4) Batteries
- Integrated Mounting Capabilities
- **Heavy Duty Cast Aluminum Casing**
- Shock & Vibration Resistant
- Industrial Usage

2
YEAR
WARRANTY

ALSO AVAILABLE: POWERPORT CHARGE PLUG-IN



-Ideal for on-board AC power connection. With easy installation, this port makes charging effortless.

* All chargers automatically switch from full charge to float charge mode.

EXPERIENCE MORE POWER
CONNECT TO THE INTERNET & GET ALERTS

FOR BATTERIES BIG AND SMALL
CONTROL FROM YOUR MOBILE DEVICE



BATTERY CHARGERS



POWER PLUS 75 AMP
BATTERY CHARGER

(PN 022-0227)

- Output:
 - Maintenance Charging 1.25 AMP
 - Battery Boost @ 20 AMP
 - Engine Start Assist @ 75 AMP
- Wireless Connectivity To Mobile Device Via WiFi (Point To Point And Network) To The Battery Tender® App Via Mobile Device Or Computer
- Infinite Sequential Monitoring - Our ISM™ Charge Program adapts to the battery's needs every second.
- Spark Proof
- Short Circuit Protected
- Reverse Hook-Up Protection
- Safety Timer
- For All Size AGM, GEL, Flooded & Lithium (LiFeP04) Batteries
- Automatically Switches From Charge To Maintenance

ALLIGATOR CLIPS INCLUDED

5 YEAR WARRANTY



Available on the iPhone
App Store

Available on the Android
Google Play

Download the Deltran Connected App and receive alerts directly to your phone.

BATTERY MANAGEMENT SYSTEM

CHARGE EVERYTHING INDEPENDENTLY AT ONE TIME



SUPERSMART POWER

CHARGE MULTIPLE VEHICLE BATTERIES





**2-BANK 12V
BATTERY CHARGER**

- (PN 022-0165-DL-WH)
- 12V @ 1.25 AMP
- Includes 2 Alligator Clips And Fused Ring Terminals
- Each Output Charges Independently @ 1.25A
- 6 Foot AC Power Cord



**4-BANK 12V
BATTERY CHARGER**

- (PN 022-0148-DL-WH)
- 12V @ 1.25 AMP
- Includes 4 Alligator Clips And Fused Ring Terminals
- Each Output Charges Independently @ 1.25A
- 6 Foot AC Power Cord



* All chargers automatically switch from full charge to float charge mode.



**5-BANK, 12V/6V @ 4 AMP
SELECTABLE BATTERY CHARGER**

- (PN 021-0133-DL-WH)
- 12V/6V @ 4.0 AMP
- Includes 5 Alligator Clips With 7.5 Foot Cable
- Suitable For Standard & Lithium Batteries
- Each Output Charges Independently @ 4A
- 6 Foot AC Power Cord



* All chargers automatically switch from full charge to float charge mode.



**10-BANK, 12V/6V @ 4 AMP
SELECTABLE BATTERY CHARGER**

- (PN 021-0134-DL-WH)
- 12V/6V @ 4.0 AMP
- Includes 10 Alligator Clips With 7.5 Foot Cable
- Suitable For Standard & Lithium Batteries
- Each Output Charges Independently @ 4A
- 6 Foot AC Power Cord




SUPERSMART™ POWERSPORT LITHIUM BATTERIES

Safer & Intelligent | BMS Shut Off Allows Longer Battery Life
Self Protection From: Over-Charging & Over-Discharging

MUST CHARGE FULLY BEFORE FIRST USE

AH	CCA	PART NUMBER	WEIGHT
12V / 2.5AH	150 AMP	BTL09A150CW	1.25 LBS
12V / 4.5AH	270 AMP	BTL12A270CW	2.00 LBS
12V / 5.0AH	300 AMP	BTL14A300CW	2.30 LBS
12V / 6.1AH	360 AMP	BTL20A360CW	2.75 LBS
12V / 8.0AH	480 AMP	BTL24A480CW	3.40 LBS

Operating Temp: 40 - 140° (F)



INCLUDES BATTERY RESET CABLE

* If the battery goes into fault mode, reactivate by pressing the battery reset button.

AGM POWERSPORT BATTERIES

Maintenance Free, No Acid Handling | Non-Spill Design
With Sealed Posts | No Need to Add Water | High Performance
In Wide Range Of Temperature

PART NUMBER	AH	CCA
BTX4L-FA	4AH	80CCA
BTX5L-FA	5AH	100CCA
BTX7A-FA	7AH	120CCA
BTX9-FA	9AH	150CCA
BTX12-FA	12AH	200CCA
BTX14-FA	14AH	230CCA
BTX14AH-FA	14AH	230CCA
BTX20HL-FA	18AH	290CCA
BTX20L-FA	20AH	330CCA
BIX30L-FA	32AH	400CCA
BTZ7S-FA	6AH	150CCA
BTZ10S-FA	8.6AH	250CCA
BTZ14S-FA	11.2AH	300CCA



VEHICLE JUMP STARTER & PORTABLE POWER BANK

COMPACT & LIGHTWEIGHT

FITS IN TRAVEL BAG & GLOVE COMPARTMENT



COMPACT VEHICLE JUMP STARTERS

800 PEAK AMP 7200mAh

(PN 030-1010-WH)

- Smart Touch Power ON/OFF
- Battery Status Indicator
- 1 Micro USB, 1 USB Port & 1 Type C Port (Fast Charging)
- Ultra Bright LED Flashlight Strobe, Hazard Light Modes
- Vehicle Jump Starter
- Includes Smart Alligator Clips & Soft Carry Fabric Bag
- Capacity: 7200mAh
- Unit Weight: Less Than 1 Pound
- Output: 12V Jump Start
- Cobalt Lithium Powered Battery

1
YEAR
WARRANTY



1000 PEAK AMP 8000mAh

(PN 030-1011-WH)

- Rapid 10W Wireless Charger (Qi Based Devices)
- Battery Status Indicator
- 1 Micro USB, 1 USB Port & 1 Type C Port (Fast Charging)
- LCD Display, Ultra Bright LED Flashlight & Strobe/Hazard Light Modes
- Vehicle Jump Starter
- Includes Smart Alligator Clips & Soft Carry Fabric Bag
- Capacity: 8000mAh
- Unit Weight: Less Than 1 Pound
- Output: 12V Jump Start
- Cobalt Lithium Powered Battery

1
YEAR
WARRANTY



WIRELESS SMARTPHONE CHARGING



JUMP START DEAD BATTERIES

- LED Light
- Internal Battery Charging Port
- On/Off USB Switch
- USB 2100MA Port And LED Indicator
- Charging Status Indicator
- AC Charging Jack
- 12V DC Outlet Socket
- DC Indicator LED



700 AMP AGM JUMP STARTER

(PN 030-0003-WH)

- Jump Start Peak AMP: 700 AMP
- Designed For Engines Up To 8 Cylinders
- Internal Battery (Capacity/Type):
12Ah (AGM) Sealed Lead-Acid Battery
- Jump Start Cables (Size/Length): 8G*2Ft.
- Adapter: 15V DC@800mA
- Cigarette Lighter Plug Maximum Current: 15 AMP
- Operating Temperature Range: 0°C – 40°C (32 – 104 °F)
- Unit Weight: 11 LBS.



1200 AMP AGM JUMP STARTER

(PN 030-0004-WH)

- Jump Start Peak AMP: 1200 AMP
- Internal Battery (Capacity/Type):
18Ah (AGM) Sealed Lead-Acid Battery
- Heavy Duty Jump Start Cables (Size/Length): 6G*30 in.
- Adapter: 15V DC@800 mA
- Cigarette Lighter Plug Maximum Current: 15 AMP
- Operating Temperature Range: 0°C – 40°C (32 – 104 °F)
- Charger Weight: 14.6 LBS.



SOLAR CHARGERS

BUILT-IN CHARGE CONTROLLER
TO PREVENT OVERCHARGING

- 12V Nominal Voltage
- Reverse Polarity Protected
- Spark Proof
- Water Proof
- Alligator Clips & Mounting Hardware Included

15 WATT SOLAR TENDER® BATTERY CHARGER

(PN 021-1165)

- Input: Sunlight
- Output: 12VDC, 15 Watt Max
- DC Cable Length 60", 20 AWG
- 14"W X 40"L X 1"H approx.
- Weight: 11 lbs.
- Reverse Polarity Protected
- Spark Proof
- Water Proof
- Includes Alligator Clips & Mounting Hardware

15-Watt Solar Panel with built-in Battery Tender® 3-step automatic microprocessor controller. 100% portable battery charging and maintenance. Perfect for storage space without power access!


5 YEAR WARRANTY On Battery Tender® Solar Products

* Broken glass must be reported within 5 days of receipt to be covered under warranty.



Deltran Battery Tender® is one of the few manufacturer's that mount a controller onto the solar panel frame to prevent overcharging.





5 WATT SOLAR TENDER® BATTERY CHARGER

(PN 021-1163)

- Input: Sunlight
- Output: 12VDC
- DC Cable Length 60", 20 AWG
- 14"W X 16"L X 1"H Approx.
- Built-In Controller To Prevent Overcharging
- Includes Alligator Clips & Mounting Hardware
- Weight: 3 lbs.



10 WATT SOLAR TENDER® BATTERY CHARGER

(PN 021-1164)

- Input: Sunlight
- Output: 12VDC
- DC Cable Length 60", 20 AWG
- 14"W X 28"L X 1"H Approx.
- Built-In Controller To Prevent Overcharging
- Includes Alligator Clips & Mounting Hardware
- Weight: 5.5 lbs.



5 WATT SOLAR PANEL

(PN 021-1172)

- 5 watt output @ 12 volts
- 9" Height x 8.25" Width x 1" Depth
- 1.5 lbs
- Output cable 8'
- Cigarette adaptor included
- Suction Cups
- Optional accessories for purchase: Rings, clips, OBDII



POWER CONNECT BATTERY CONNECTOR SET

(PN 027-0004-KIT)

- Silver-plated, Solid Copper Terminals
- Corrosion Resistant Stainless Steel
- Quickly Connect & Disconnect
- Vibration Resistant Lock
- USA Manufactured High
- Conductivity Electrical Contacts
- Kit Includes:
 - Receptacle
 - Weatherproof Gasket
 - Cable Cover Screws (2)
 - Washers & Nuts
 - Straight Conversion Kit
 - L-Shape Plug/Connector

Battery Tender Black Power Connect Trolling Motor D/C Connector is an onboard connector for DC to DC connections. Perfect for battery connections to trolling motors, navigational electronics or any DC accessory. The unique screw and lock device provides a positive connection that avoids vibration and water incursion. Includes; Receptacle, Gasket, Cable Cover Screws (2), L-Shape Plug/Connector, and Linear Conversion Kit. Specifications: L-Shape Connector Weight: 0.45 lbs., L-Shape Connector Dimensions: 2" X 3.25" X 3.5", Linear Conversion Kit Weight: 0.05 lbs., L-Shape Connector Dimensions: 1.5" X 3" X 1"



2 CONFIGURATIONS: STRAIGHT & L-SHAPE



STRAIGHT CONNECTOR (180°)

L-Shape Connector Weight: .45Lbs
L-Shape Connector Dimensions: 2" X 3.25" X 3.5" / 90 degrees



L-SHAPE CONNECTOR (90°)

Straight Conversion Kit Weight: .05Lbs
Straight Conversion Kit Dimensions: 1.5" X 3" X 1" / 180 degrees



S.S. MOUNTING BRACKETS

(Optional - Sold Separately)
- Flat Mounting Brackets
- Angle Mounting Brackets



STANDARD BULKHEAD FLUSHMOUNT INSTALLATION



POWER INVERTERS CHARGES YOUR MOBILE DEVICES



- USB Output: 5V DC, 3.1 AMP Total Output
- Output Voltage: 115 VAC
- Input Voltage: 12 VDC Nominal

MOBILE POWER FOR GAMES AND APPLIANCES





200 WATT POWER INVERTER

(PN 026-0005-DL-WH)

- Max Continuous Power: 200W (Limited to 120W if using Cigarette Adapter)
- High Surge Peak: 400W
- Input Voltage: 12 VDC Nominal
- Output Voltage: 115 VAC
- Single DC Input Fuse: 35 AMP (Automotive Blade Type)
- USB Output: 5 VDC, 3.1 AMP Combined Total Output

Provides mobile capability to deliver electric power for AC appliances when there is no traditional AC power outlet available. With the cigarette adapter accessory,



120 WATT POWER INVERTER

(PN 026-0002-DL-WH)

- Max Continuous Power: 120W
- High Surge Peak: 240W
- Output Voltage: 115 VAC
- 2 USB Ports: 5 VDC, 2.4 AMP Combined Total Output



400 WATT POWER INVERTER

(PN 026-0003-DL-WH)

- Max Continuous Power: 400W (Limited to 120W If Using Cigarette Adapter)
- High Surge Peak: 800W
- Two (2) DC Input Fuses: 35 AMP each (Automotive Blade Type)



750 WATT POWER INVERTER

(PN 026-0004-DL-WH)

- Max Continuous Power: 750W
- High Surge Peak: 1500W
- Three (3) DC Input Fuses: 35 AMP each (Automotive Blade Type)



VERSATILE ADDITIONS TO BATTERY TENDER® PRODUCTS

ACCESSORIES

ACCESSORIES

WIRELESS BATTERY MONITOR

(PN 081-0172)

- Monitor Weight: 0.1 Lbs
- Size: 3.5" x 2" x .625"
- Wifi Connectivity
- Monitor Battery Remotely
- Avoid Battery Failure With Mobile Alerts
- Works With Deltran Connected App
- Includes Fused Ring Terminals

Now, you can be alerted to battery issues before they become a problem with messages sent straight to your mobile device.

3
YEAR
WARRANTY



QUICK DISCONNECT RING TERMINAL & 7.5 AMP FUSE



Download the Deltran Connected App
and receive alerts directly to your phone.

Available on the iPhone
App Store

GET IT ON
Google Play

wifi

**FUSED RING TERMINALS**

(PN 081-0069-6)

**FUSED ALLIGATOR CLIPS**

(PN 081-0069-4)

**EXTENSION LEADS**

25 ft Leads (PN 081-0148-25)
 12.5 ft Leads (PN 081-0148-12)
 6ft Leads (PN 081-0148-6) NEW

**ZIPPERED POUCH**

Small 4"x6" (PN 500-0017) shown
 Medium 6"x8" (PN 500-0139)
 Large 10"x12" (PN 500-0140)

**BATTERY METER WITH LCD & LED DISPLAY**

(PN 081-0157)

**DUAL USB WALL CHARGER**

(PN 022-0194-WH)
 (USB cable not included.)

**CIGARETTE LIGHTER ADAPTOR**

(PN 081-0069-5)

**FEMALE CIGARETTE ADAPTOR**

(PN 081-0069-8)

**DUAL PORT USB CHARGER**

(PN 021-0161)
 (USB cable not included.)

**QDC USB CHARGER**

(PN 081-0158)

**POWER PORT PLUG**

(PN 081-0158)

**5 WATT PANEL MOUNTING BRACKET**

DELTRAN IS PLEASED TO INTRODUCE HYPERION®, OUR NEW BRAND

Hyperion® is built for safety and creativity. Our products are created to leverage technology to make your life easier and keep you safer. We are an industry leader in engineering, designing and manufacturing technologically advanced products.

HYPERION®

BY Deltran

The Deltran Connected App Is Available Now



The Connected App enables you to be informed before experiencing any battery or vehicle problem. Deltran's branded products such as Battery Wireless Monitors, Battery Chargers, Batteries, Tire Pressure Monitoring Systems, Head Up Displays, OBD II Connectors, Dash and Backup Cameras can be paired to the App.

They will send and receive status notifications and alerts. It enables you to quickly resolve the problem and/or take immediate necessary precautions.



VISIT HYPERION-GLOBAL.COM

NEW HYPERION® PRODUCTS

VISIT HYPERION-GLOBAL.COM

BUILT IN SOLAR PANEL



VEHICLE SOLAR COVERS

- Solar Cover Maintains Vehicle Battery While Parked & Covered
 - High Efficiency, High Output Solar Panel Powered By Battery Tender®
 - Professional Grade Fabric
 - Includes: Solar Panel, Solar Controller, 6 Foot Extension Lead & Ring Terminal Battery Cable
- AVAILABLE VEHICLE SOLAR COVERS:**
Car, Truck, SUV, Motorcycle, Personal Watercraft, Boat Engine, Utility Task Vehicle



ROADSIDE TIRE CHANGE KIT

- (PN 043-1002-HY-WH)
- Safe, Reliable & Easy To Use
 - One Touch Jack Lift Operation
 - Built-In Safety Device Prevents Jack From Falling
 - Kit Includes: Portable Electric Wrench, Portable Electric Hydraulic Jack, Portable Electric Inflator Pump, 2 Reversible Sockets, Battery Clamp Connecting Cable, Non-Slip Gloves, Safety Hammer, Hex Wrench, Inflation Needle, Hose Connectors, Fuses, 12V DC Power Cable, Hard Shell Carry Case



ROAD GUARDIAN AUTOMOTIVE DASH CAMERA

- (PN 040-1004-HY-WH)
- Equipped With Forward Divergence Collision Warnings & Lane Divergence Alerts
 - Records Seamless Video Clips Automatically
 - Crash Detection, Auto-Start Recording & Snapshot Of The Road
 - Includes: Wide Angle 3" LCD Dash Camera, Suction Cup Mount, 12V/24V USB Charger, Data Transfer Cable & 16Gb Memory Card



POWERED BY THE SUN
PROTECT AND CHARGE



HYPERION® VEHICLE COVER WITH SOLAR CHARGER

SOLAR PANEL WITH CONTROLLER

HYPERION® MOTORCYCLE COVER WITH SOLAR CHARGER

MOTORCYCLE COVER WITH SOLAR CHARGER

(PN HYP-MOT-M)

- Waterproof 300 Denier Black Polyester Fabric
- 12 Watt Powerful 1 AMP Charging Output
- Solar Controller Regulates Solar Energy To Battery
- Size: M 90" x 39" x 49", L 97" x 41" x 50", XXL 101" x 44" x 61"
- UV Light Resistant Fabric
- Waterproof 300 Denier Black Polyester Fabric
- 12 Watt Powerful 1 AMP Charging Output
- Solar controller regulates solar energy to battery
- 12 Watt powerful 1 AMP charging output
- UV Light Resistant to protect your vehicle
- Includes 6 foot output cable and 6 foot extension cable
- Ring Terminal Battery Quick Disconnect included
- UV Light Resistant to protect your vehicle

The Hyperion® Solar Charger is completely automatic and may be left connected to the solar panel and the battery for an unlimited amount of time



HIGH-TECH PROTECTION
MADE TO LAST

HYPERION® VEHICLE COVER WITH SOLAR CHARGER

SOLAR PANEL WITH CONTROLLER

HYPERION® VEHICLE COVER WITH SOLAR CHARGER

CAR COVER WITH SOLAR CHARGER

(PN HYP-MOT-M)

- Waterproof 300 Denier Black Polyester Fabric
- 12 Watt Powerful 1 AMP Charging Output
- Solar Controller Regulates Solar Energy To Battery
- Sizes vary
- UV Light Resistant Fabric
- Waterproof 300 Denier Black Polyester Fabric
- 12 Watt Powerful 1 AMP Charging Output
- Solar controller regulates solar energy to battery
- 12 Watt powerful 1 AMP charging output
- UV Light Resistant to protect your vehicle
- Includes 6 foot output cable and 6 foot extension cable
- Ring Terminal Battery Quick Disconnect included
- UV Light Resistant to protect your vehicle

The Hyperion® Solar Charger is completely automatic and may be left connected to the solar panel and the battery for an unlimited amount of time.



PROTECT YOUR RIDE

SUPERIOR UV PROTECTION AND STRENGTH

HYPERION® VEHICLE COVER WITH SOLAR CHARGER

SOLAR PANEL WITH CONTROLLER

UTV COVER

WITH SOLAR CHARGER

(PN HYP-UTV-U)

- Solar Controller Regulates Solar Energy To Battery
- UV Light Resistant Fabric
- Waterproof 300 Denier Black Polyester Fabric
- 12 Watt Powerful 1 AMP Charging Output
- Built In Solar Panel Pocket for ease of installation and vehicle charging
- Solar controller regulates solar energy to battery
- 12 Watt powerful 1 AMP charging output
- UV Light Resistant to protect your vehicle
- Includes 6 foot output cable and 6 foot extension cable
- Ring Terminal Battery Quick Disconnect included

Our UTV solar cover ensures that your battery stays optimally charged while covered during non-use. Our 300D black polyester solution-dyed cover offers superior UV protection and strength, a waterproof exterior and soft linen interior to protect your finish, and heavy-duty double-stitches to keep your UTV protected in harsh weather. Has elastic at the front and rear hems, straps and buckle at middle bottom, and a lock hole at the front so you can secure your UTV with the cover on.



BOAT ENGINE COVER WITH SOLAR CHARGER

(PN HYP-UTV-U)

- Solar Controller Regulates Solar Energy To Battery
- UV Light Resistant Fabric
- Waterproof 300 Denier Black Polyester Fabric
- Size: Small (20.5" x 15" x 12") Medium (31" x 23" x 24") Large (36" x 17" x 28")
- 12 Watt Powerful 1 AMP Charging Output
- Built In Solar Panel Pocket for ease of installation and vehicle charging
- Solar controller regulates solar energy to battery
- 12 Watt powerful 1 AMP charging output
- UV Light Resistant to protect your vehicle
- Includes 6 foot output cable and 6 foot extension cable
- Ring Terminal Battery Quick Disconnect included

Our boat engine solar cover ensures that your boat battery stays optimally charged while covered during non-use. Our 600D black polyester cover with polyurethane coating offers superior UV protection and strength, a waterproof exterior and soft linen interior to protect your finish, and heavy-duty double-stitches to keep your boat engine protected in harsh weather. Has drawstring on the bottom to tighten.



PERSONAL WATERCRAFT COVER WITH SOLAR CHARGER

(HYP-PWC-U)

- Solar Controller Regulates Solar Energy To Battery
- UV Light Resistant Fabric
- Waterproof 300 Denier Black Polyester Fabric
- Size: 134" x 63" x 36"
- 12 Watt Powerful 1 AMP Charging Output
- Waterproof 300 Denier Black Polyester Fabric
- 12 Watt Powerful 1 AMP Charging Output
- Solar controller regulates solar energy to battery
- UV Light Resistant to protect your vehicle
- Includes 6 foot output cable and 6 foot extension cable
- Ring Terminal Battery Quick Disconnect included

Our personal water craft (PWC) solar cover ensures that your battery stays optimally charged while covered during non-use. Our 600D black polyester cover with polyurethane coating offers superior UV protection and strength, a waterproof exterior and soft linen interior to protect your finish, and heavy-duty double-stitches to keep your PWC protected in harsh weather. Has elastic on the bottom and a moisture vent.



CHANGE DOESN'T HAVE TO BE SO DIFFICULT
LIFT YOUR CAR WITH THE PUSH OF A BUTTON



TIRE SAFETY

CONNECT AND MONITOR
EASY INSTALLATION



TIRE SAFETY



HYPERION® 12V PORTABLE HYDRAULIC FLOOR JACK KIT- HYDRAULIC FLOOR JACK, INFLATOR, & WRENCH COMBO

(043-1002-HY-WH)

- Input Voltage: 12 Volt DC
- Maximum Lifting Weight: 3 TONS (6,000 pounds)
- Lifting Height Range: 6- 17.5"
- Power Adapter included
- Inflator Pump: 12 Volt DC, Maximum Pressure 150 PSI
- Electric Impact Wrench: Maximum Torque 250 pounds
- Easy to use: up and down switch to engage the Hydraulic Lift
- Built in Air pressure gauge
- Built in Flash Light
- Built In side compartment for aOrganized Air Hose
- Connect the power adapter to the vehicles 12V power outlet or use the supplied alligator clips and female adapter and connect to a 12V battery
- Connect the power adapter to the vehicles 12V power outlet or use the supplied alligator clips and female adapter and connect to a 12V battery



12V PORTABLE HYDRAULIC FLOOR JACK

(043-1001-HY-WH)

- Input Voltage: 12 Volt DC
- Maximum Lifting Weight: 3 TONS (6,000 pounds)
- Lifting Height Range: 6- 17.5"
- Power Adapter included
- Compact for ease of storage in your vehicle
- Rechargeable Battery
- Easy to Use: Place the Electric Jack in the desired position under the vehicle and press the jack ram to activate

The 12V Portable Hydraulic Floor Jack was designed to allow you to quickly and safely change your tire. Simply place the Electric Jack under your vehicle and press the jack ram button to activate. Compact and easy to store, the Floor Jack can go with you anywhere. A power adapter and rechargeable battery are included along with a one-year limited warranty.



4 WHEEL BLUETOOTH TIRE PRESSURE MONITORING SYSTEM

(041-1002-HY-WH)

- 1 sensor located on each wheel will detect real-time pressure and temperature of each tire
- Sensors will transmit the tire data to the corresponding phone App
- This TPMS can reduce fuel consumption, reduce tire wear, and improve dynamic performance
- An alarm sounds for exceeding the limit of the tire pressure or the tire temperature
- Each TPMS wheel sensor is marked (FL, FR, RL, & RR) and must be installed on the corresponding wheel for accurate readings
- Easy to Install
- These sensors can only be used on vehicles with maximum tire pressures below 50.8 PSI



6 WHEEL BLUETOOTH TIRE PRESSURE MONITORING SYSTEM

(041-1003-HY-WH)

- 1 sensor located on each wheel will detect real-time pressure and temperature of each tire
- Sensors will transmit the tire data to the corresponding phone App
- This TPMS can reduce fuel consumption, reduce tire wear, and improve dynamic performance
- An alarm sounds for exceeding the limit of the tire pressure or the tire temperature
- Each TPMS wheel sensor is marked (FL, FR, RL,RR, EXT. 1, & EXT.2) and must be installed on the corresponding wheel for accurate readings
- Easy to Install
- These sensors can only be used on vehicles with maximum tire pressures below 50.8 PSI



1. Download Deltran Connected App
2. Follow The In-App Instructions To Install The TPMS Monitor
3. Connect Smartphone To TPMS Monitor Via Built-In Bluetooth



HEADS UP DISPLAYS

KEEPING YOUR EYES ON THE ROAD

SMART DRIVE

SMARTPHONE NAVIGATION

HEADS UP DISPLAY

HYPERION® SMARTPHONE HUD HOLDER

(042-1001-HY-WH)

- This heads up display shows your desired information that helps you focus on driving and keeping your eyes on the road without lowering your head
- Hyperion® Smartphone Navigation Heads Up Display is compatible with the "Hudway Go" app
- Glass Transparency allows for a clear road view
- Parts included: Universal Smartphone holder, transparent reflection film, black non slip mat, and a cleaning cloth
- Easy to setup and connect



DASH CAMERAS

CAPTURE EVERY MOMENT

SMART DRIVE

THE ROAD GUARDIAN

FPO needed from Deltran

- 16G SD Memory Card Included
- Front and Rear Recording View is compatible with the "Hudway Go" app
- Display Size: 4"
- View Angle: 125 degrees
- Will begin recording once engine has started
- Loop recording enabled
- Crash Detection recording enabled
- Snapshot Photo Enabled
- Backup assistance connects to reverse light and mounts on to license plate
- Driver fatigue alert
- Head light turn on alert
- Record time: 120 mins
- Easy to install and no need to drill holes for bracket installation



SMART DRIVE

Deltran



Deltran USA, LLC | 801 International, Speedway Blvd. DeLand, FL 32724 | (386) 736-7900, (877) 456-7901 | www.batterytender.com | www.hyperion-global.com

PUB341_F